

# i

Passenger Safety First

# SAFETY & PERFORMANCE WITHOUT COMPROMISE



# Introduction

We are here for those people who live in a world that does not always accommodate their daily mobility challenges. We ensure that when they use equipment designed to increase mobility, that the safety of that equipment has been thoroughly tested and considered, so they can focus on moving through the world as independently as possible.

The safety of passengers is paramount to Mobility Networks. Every product we produce is designed to not only meet the requirements of the customer, but to exceed their expectations with our safety and performance features. The iCLASS has been designed with a multitude of safety features to protect the disabled passenger, vehicle passengers, the operator and anyone in close proximity the vehicle.



# Our Safety Accreditations

Mobility Networks complies with best practices and a variety of international safety standards such as:



# **European Whole Vehicle Type Approval**

ECWVTA is based around EC Directives and provides for the approval of whole vehicles, in addition to vehicle systems and separate components. This certification is accepted throughout the EU without the need for further testing until a standard is updated or a vehicle design changes.

### **EC Directive 95-54-EC**

This EC directive requires manufacturers to gain Type Approval for all vehicles, electronic sub assemblies, components and separate technical units.

# National Small Series Type Approval

NSSTA is a UK national scheme for low volume manufacturers who intend to only sell in the UK. The advantages of NSSTA are relaxed technical requirements for some subjects, a more pragmatic approach to the Conformity of Production (CoP) requirements and reduction in administrative requirements.

# Lifting Operations and Lifting Equipment Regulations 1998 (LOLER)

Mobility Networks can organise Health and Safety Inspectors from the HSE to provide LOLER approved inspections. These inspections are to cover regulations regarding people and companies who own, operate or have control over lifting equipment. This includes all businesses and organisations whose employees' use lifting equipment, whether owned by them or not. LOLER also requires that all equipment used for lifting be fit for purpose, appropriate for the task, suitably marked and, in many cases, subject to statutory periodic 'thorough examination'.

## ISO 9001 and ISO 14001 2015

The ISO 9000 family of standards is related to quality management systems and designed to help organisations ensure that they meet the needs of customers and other stakeholders while meeting statutory and regulatory requirements related to the product.

# Our Model Range

3 models to suit a range of vehicle and customer requirements.



Standard 2 year warranty, extendable to 5 years (conditions apply)



platform: Quiet and . stable, ideal for large

Vertical split platform: A compact space-saver, in line with emergency exit guidelines



3 available models: Standard Platform (P), Split Platform (SP) and Folding Platform (FP).

# **Available Models**

1196

1148

1058

385

385

iCLASS FP84138

iCLASS FP80150


iCLASS Inboard Lift 5


SOLID PLATFORM	А	Al		С	D		Platform Length	Capacity	Lift Weight	Height from Ground Max	Clearance of arms from bumper*
iCLASS P90138	1106	1196	325	1285	1486	900	1380	425kg	148kg	1000	300
iCLASS P80130	1006	1096	325	1185	1406	800	1300	425kg	140kg	1000	300
US Lift P84138D	1046	1136	350	1206	1487	840	1380	800lb	348lb	1220	366
SPLIT PLATFORM	А	A1**	В	С	D	E	Platform Length	Capacity	Lift Weight	Height from Ground Max	Clearance of arms from bumper*
iCLASS SP90138	1106	1196	585	1285	1488	900	1380	425kg	167kg	1000	300
iCLASS SP90148L	1105	1195	552	1277	1580	900	1480	425kg	171kg	1000	300
iCLASS SP80130	1006	1096	585	1185	1408	800	1300	425kg	158kg	1000	300
iCLASS SP76100	966	-	430	1115	1120	760	1000	425kg	134kg	790	320
iCLASS SP76110	966	-	500	1120	1250	760	1100	425kg	136kg	790	320
** = Width with fixed handrails											
501050							_	51.15		11611111111	


840

800

iCLASS FP70115	1006	1096	385	1175	1074	1230	700	1150	425kg	1
iCLASS FP74138	966	-	385	1190	1181	-	740	1380	425kg	
			A.1							
P			A1 A	-	1		В		SP	ļ.,
	CT ::			ET	0	Ē			i	








425kg

425kg

151kg

1000

340



\*Clearance of arms from bumper diagram

# Safety & Performance Features



Cycle Counter



Diagnostic System



Wireless Remote



Red in-operation light



Quick-release intelligent ECU



Manual controls can be L or R of the vehicle

Feature	Standard Specification	UK Specification	US Specification	
Handrail	Small	Extended (FMVSS)	Extended (FMVSS)	
Folding handrail	Optional	Optional	Optional	
Flashing LED lights	Included	Included	Included	
Manual Emergency Release	Included	Included	Optional	
Cycle Counter	Optional	Optional	Included	
Red Operation Light	Optional	Optional	Included	
LED Side Illumination	Optional	Optional	Included	
Sensitive Floor Mat	Optional	Optional	Included	
Interlock	Optional	Optional	Included	
Operational Sensors	Optional	Optional	Included	
Door Safe	Optional	Optional	Optional	
Wireless Remote	Optional	Optional	Optional	

- Super quiet power-pack
- Self-levelling, anti-drift & anti-rattling mechanism
- Punched, anti-slip, steel platform
- No wheels roll-off ramp
- Genius ECU
- Installation kit provided as standard
- 3 different styles of extended handrails to choose from
- Sensitive safety floor to prevent accidents when the lift is in operation
- Warning lights visible to anyone in proximity of the vehicle
- LED lights that illuminate the entire platform
- "DoorSafe" barrier to protect passengers when lift is in use
- Manual emergency release handrail that can be fitted to either side of the vehicle
- Mechanical system bridge-plate with anti-slip
- Automatic roll-off ramp with anti-slip floor



Inboard Lift
DoorSafe Barrier



Handrail options



Safety floor



Twin flashing lights



Platform spotlights

# Giving you the choice





# Going beyond compliance...


The iCLASS product range comes with 3 Not only are we European compliant, the safety to us.

At Mobility Networks, we are compliant with the laws that ensure the safety of passengers and vehicle operators.

different handrail options. With Mobility but our products exceed the standards Networks' products, the customer can set by the worldwide market. We're focus on comfort and design, leaving proud of this, and we think it highlights our commitment to safety across our product range, at home and abroad.











# A truly global provider

### **Mobility Networks - Global Headquarters**

12 Estuary View Business Park Whitstable Kent, CT5 3SE United Kingdom

Tel: +44(0) 1227 505 022 Fax: +44(0)1227 505 023

Email: info@mobilitynetworksgroup.com Web: www.mobilitynetworksgroup.com

## **Mobility Networks - UK**

Unit 2 Summit Crescent Smethwick West Midlands, B66 1BT

United Kingdom Tel: +44(0) 0121 552 0660

Fax: +44(0) 0121 553 4872 Email: enquiries@pls-access.co.uk

Web: www.passengerliftservices.co.uk

# **Mobility Networks - Italy**

Via F.Ili Cervi 13 Palidano di Gonzaga (Mn) 46023, Italy

Tel: +39 0376 536 766 Fax: +39 0376 536 768

Email: info@mobilitynetworksgroup.com

### **CAROIL System S.p.a.**

Via F.Ili Cervi 13 Palidano di Gonzaga (Mn) 46023 Italy

Tel: +39 0376 536 766 Fax: +39 0376 536 768 Email: caroil@caroil.com Web: www.caroil.com

### **Mobility Networks - Eastern Europe**

Str. Băiculești nr. 1, Cladirea C Sector 1, Bucuresti Romania

Tel: +40 (0)749 000 100 Fax: +39 0376 536 768

Email: sales@mobilitynetworks.ro Web: www.mobilitynetworks.ro

# **Mobility Networks - North America**

5202 S 28th Place

Phoenix Arizona 85040

Tel: 855-MY-VMILI(FT)

Email: vmilifts@vantagemobility.com Web: www.vantagemobility.com

### **Mobility Networks - Netherlands**

Touwbaan 1-A 2352 CZ Leiderdorp Netherlands

Tel: +31 71 589 1819 Fax: +31 71 542 0809 Email: info@acdeos.com Web: www.acdeos.com

### **Mobility Networks - Spain**

Carrer Botánica 67 08908 Hospitalet de Llobregat Spain

Tel: +34 91 327 85 00

Email: info@mobilitynetworksgroup.com Web: www.mobilitynetworksgroup.com

### Mobility Networks - Australia & New Zealand

Email: info@mobilitynetworksgroup.com Web: www.mobilitynetworksgroup.com